DETAILED ACTION

The reply filed on March 31, 2008 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): The drawings filed on March 31, 2008 do not comply with 37 CFR 1.121, since "Corrected/New Drawing Sheet" is not an option for labeling at the top margin. In an effort to advance the prosecution of the application, applicant is also requested to clarify at this time whether the access door in claims 1 and 2 is being positively claimed, or only inferentially claimed. See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lloyd A. Gall whose telephone number is 571-272-7056. The examiner can normally be reached on Monday-Friday, 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patricia Engle can be reached on 571-272-6660. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/716,586 Page 3

Art Unit: 3673

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Lloyd A. Gall/ Primary Examiner, Art Unit 3673

/L. A. G./ Primary Examiner, Art Unit 3673 June 30, 2008